

SKOROKHODOV, N.Ye., prof. otv. red.; AGAPOV, V.F., prof. po
nauchnoy rabote, dots., red.; BOYARSHINOV, M.I., prof.,
red.; VSELOVSKAYA, Ye.S., red.; GAGEN-TORN, A.V., red.;
GOL'DSHTEYN, N.A., red.; IVANOV, N.I., kand. tekhn. nauk,
dots., red.; KORZH, P.D., prof., red.; PETROV, V.M., dots.
kand. tekhn. nauk, red.

[30 years of the Magnitogorsk Mining and Metallurgical
Institute] XXX let MGMI. Magnitogorsk, 1962. 170 p.
(MIRA 17:3)

1. Magnitogorsk. Gorno-metallurgicheskiy institut.
2. Sekretar' partiynogo byuro Magnitogorskogo gorno-metallurgicheskogo instituta (for Petrov).
3. Dekan metallurgicheskogo fakul'teta Magnitogorskogo gorno-metallurgicheskogo instituta (for Ivanov).
4. Zaveduyushchiy kafedroy fiziki Magnitogorskogo gorno-metallurgicheskogo instituta (for Korzh).
5. Zaveduyushchiy kafedroy obrabotki metallov davleniye. Magnitogorskogo gorno-metallurgicheskogo instituta (for Boyarshinov).

BOROKHOVICH, A.I., kand.tekhn.nauk; VESELOVSKAYA, Ye.S., inzh.

Cleaning contaminated water from mechanical admixtures in a
hydrocyclone. Gor.zhur. no.3:74-75 Mr '65. (MIRA 18:5)

1. Magnitogorskiy gorno-metallurgicheskiy institut.

ANDRUYEVA, I.N.; ARKHIPOVA, Z.V.; VESELOVSKAYA, Ye.Y.; LEVINA, A.A.;
ANTOKOL'SKAYA, Ye.M.; LAZAREVA, N.P.; SAZHIN, B.I.; KHIN'KIS,
S.S.; SHCHERBAK, P.N.; GERBIL'SKIY, I.S.; LYANDZBERG, G.Ya.;
PARAMONKOVA, T.V.; PECHENKIN, A.L.; YEGOROV, N.M., red.;
SHUR, Ye.I., red.; FOMKINA, T.A., tekhn.red.

[Low-pressure polyethylene] Polietilen nizkogo davlenia.
Izd.2., ispr. i dop. Leningrad, Gos.nauchno-tekhn.izd-vo
khim.lit-ry, 1960. 95 p. (MIRA 14:1)

1. Nauchno-issledovatel'skiy institut polimerizatsionnykh plast-
mass (for all, except Yegorov, Smir, Fomkina).
(Polyethylene)

VESELOVSKAYA, Ye. V.

5(3)

PHASE I BOOK EXPLOITATION

SOV/1639

Polietilen nizkogo davleniya (Low-pressure Polyethylene) Leningrad,
Goskhimizdat, 1958. 90 p. (Series: Novyye plasticheskiye massy) 10,000
copies printed.

Ed. (Title page): N.M. Yegorov; Ed. (Inside book): Ye. I. Shur;
Tech. Ed.: Ye. Ya. Erlikh.

PURPOSE: This booklet is intended for mechanics, engineers and technicians in chemistry, petroleum technology, foods, pharmaceuticals, electrical engineering, battery manufacturing, radio engineering, automobile manufacturing, high-frequency engineering, television, communications, machine- and ship-building, aviation, construction and other branches of industry employing plastic materials.

COVERAGE: The booklet describes a new material: polyethylene produced at low pressures. Its industrial preparation and properties are described along with methods of making articles from this material and its application in building technology, medicine and other branches of science. The booklet was compiled by personnel of the Scientific Research Institute for Polymerized Plastics:
Ch. I.: I.N. Andreyeva, Z.V. Arkhipova, Ye.V. Veselovskaya, A.A. Levina;

Card 1/4

Low-pressure Polyethylene

SOV/1639

Ch. II.: I.N. Andreyeva, Ye. M. Antokol'skaya, Z.V. Arkhipova, N.P. Lazareva, B.I. Sazhin, S.S. Khin'kis, and P.N. Shcherbak; Ch. III.: I.S. Gerbil'skiy, G. Ye. Lyandzberg, G.V. Paramonkova and A.L. Pechenkin. There are no references.

TABLE OF CONTENTS:

Foreword	3
Introduction	4
Ch. I. Preparation of Polyethylene at Low Pressures	7
Polymerization	7
Washing polyethylene from catalyst residues and regenerating the solvent	11
Ch. II. Properties of Polyethylene	14
Physicochemical properties	14
Wettability	25
Chemical stability	26
Dielectric properties	28
Dielectric constant and dielectric loss	28

Card 2/4

Low-pressure Polyethylene

80V/1639

Resistivity and electric strength
Aging of low-pressure polyethylene

32
43

Ch. III. Manufacture of Polyethylene Articles and Their Fields of
Application

55
56
61

Die casting

70

Extrusion method of processing

71

Coating of conductors with polyethylene insulation

Processing low-pressure polyethylene by press forming

Applying protective coatings of low-pressure polyethylene to
metal parts by fusion

76

Welding plates and pipes of low-pressure polyethylene and the
formation of sheets (bending operations)

77

Welding sheets and plates

78

Welding pipes and welding on flanges

80

Making T-joints by welding pipes at right angles

83

Length-wise welding of tubing from sheets of low-pressure
polyethylene for ventilation and other purposes

84

Bending low-pressure polyethylene sheets and plates to a given angle
Welding low-pressure polyethylene parts with a rod and employing a
stream of hot air or nitrogen

86

87

Card 3/4

Low-pressure Polyethylene

SOV/1639

Machining of articles from low-pressure polyethylene
Fields of application of low-pressure polyethylene

88

89

AVAILABLE: Library of Congress

TM/mas
5-26-59

Card 4/4

ANDREYEVA, I.N.; ARKHIPOVA, Z.V.; VESELOVSKAYA, Ye.V.; LEVINA, A.A.;
ANTOKOL'SKAYA, Ye.M.; LAZAREVA, N.P.; SAZHIN, B.I.; KHIN'KIS,
S.S.; SHCHERBAK, P.N.; GERBIL'SKIY, I.S.; LYANDZBERG, G.Ya.;
PARAMONKOVA, G.V.; PECHENKIN, A.L.; YEGOROV, N.M., obshchiy
red.; SHUR, Ye.I., red.; ERLIKH, Ye.Ya., tekhn.red.

[Low-pressure polyethylene] Polietilen nizkogo davleniya.
Leningrad, Gos.nauchno-tekhn.izd-vo khim.lit-ry, 1958. 90 p.
(Polyethylene)

VESELOYSKAYA, YE. V.

YEGOROV, N.M.; ARKHIPOVA, Z.V.; VESELOYSKAYA, Ye. V.; LEVINA, A.A.; SEMENOVA,
A.S.; BULAVSKIY, A.G.; ANDREYEVA, I.N.

Cyclic and continuous methods for the polymerization of ethylene
at low pressures. Khim. nauka i prom. 2 no.3:398-399 '57.

(MIRA 10:8)

1. Nauchno-issledovatel'skiy institut polimerizatsionnykh plastmass.
(Ethylene) (Polymerization)

VESELOVSKIY, A., inzh.

Building and installing propeller shafts. Voen.znan. 36 no.5:36
My '60. (MIRA 13:4)

1. Tsentral'naya laboratoriya morskogo modelizma Dobrovol'nogo
obshchestva sodeystviya armii, aviatsii i flotu SSSR.
(Ship models)

VESELOVSKIY, A., inzh.

Device to keep yacht models on course, Voen. znan. 35 no.7:35
Voen. znan. 35 no.7:35 J1 '59. (MIRA 12:12)
(Yachts and yachting--Models)

VESELOVSKIY, A.; ZAKHAROV, S.; KONYUSHENKO, I.A., red.; BLAZHENKOVA, G.I.,
tekhn.red.

[Models of naval vessels] Modeli voennykh korabli. Moskva,
Izd-vo DOSAAF, 1958. 28 p. (MIRA 12:2)
(Warships--Models)

VESTLOVSKIY, A.

Models of yachts in the international class. Voen.znan. 34 no.4:30
Ap '58. (MIRA 11:4)

1. Glavnyy inzhener TSentral'noy laboratorii morskogo modelizma
Dobrovol'nogo obshchestva sodeystviya armii, aviatsii i flota SSSR.
(Yachts and yachting--Models)

B-I-8

SC

PRODUCTION OF POTASSIUM SULPHATE BY TREATMENT OF CARPENTITE WITH SULPHURIC ACID. A. A. YANUSOVSKIY and E. F. KUZNETSOV (Kali, U.S.S.R., 1933, No. 10, 36—38).—Washing of the sulphates (K_2SO_4 , 38.4%, $MgSO_4$, 36.10, Na_2SO_4 , 37.88%) with H₂O at 33° afforded a residue of 18.3% of pure K_2SO_4 ; the solution was cooled to 11°, the crystals being discarded, and used again as solvent at 33°. The undissolved crystals, K_2SO_4 , 53, $MgSO_4$, 48%, were treated with KCl and the cycle was repeated. Ch. Ans.

ASB-55A METALLURGICAL LITERATURE CLASSIFICATION

FROM STUDIES

FROM DOMESTIC

CLASSIFIED

REMARKS

BC

B-D-8

Precipitation of chrome-yellow from lead formate.
J. N. Kolomoj and K. A. Vashchenko (J. Appl.
Chem. Russ., 1933, 6, 603-604). Good quality chrome-
yellow is obtained by adding H₂O₂ and H₂SO₄ to
saturated aq. (HCOO)₂Pb, or to its paste with an equal
wt. of H₂O.

ASD-61A METALLURGICAL LITERATURE CLASSIFICATION

FORM SYMBOLS

TARGET REF DIV CODE

REMARKS

EXAMINER'S SIGNATURE

1ST AND 2ND SECTIONS																										3RD AND 4TH SECTIONS																									
PROCESSING AND PROPERTIES INDEX																																																			
Investigation of conditions for optimum extraction of alumina from clays of the Gumeshev and the Ivanov deposits. A. A. Veklovskii and V. D. Ponomarev. <i>Trudy Ural. Inst. 1933</i> , No. 7, 21-42; <i>Khim. Referat. Zhur.</i> 1, No. 11-12, 107-8 (1933).—The possibility of obtaining $Al_2(SO_4)_3$ from the clays was investigated.																																																			
<p>The clays were heated for 1-3 hrs. at 600-800°, and then boiled with a calcd. amt. of H_2SO_4, according to the content of clay substance. The detn. was made by the Jaff and Steinbrecht method, which gave excessive values. Corrected results were obtained from lab. boiling. The clays were heated at 700° for 2-3 hrs. A temp. increase increased the Al and the Fe yields. Optimum length of boiling was 5-6 hrs. A titrimetric detn. of the acidity of the lixiviates gave lowered results, especially with lixiviates which were yellowish in color. An empirical correction must be made for the detn. of the true free acid. In order to prevent a hydrolytic splitting of $Al_2(SO_4)_3$, the lixiviates of the black and of the white boiling processes must be weakly acidic. This was obtained by an addn. of 80-85% of the calcd. amt. of acid for the Gumeshev clay, and of 93-94% for the Ivanov clay, in the process of black boiling, and by the addn. of a freshly pptd. $Al(OH)_3$ hydrate in the process of white boiling. The Gumeshev clays did not produce a product whose Fe content agreed with the prescribed standard, and therefore they can be used to better advantage for the production of coagulant instead of $Al_2(SO_4)_3$.</p> <p style="text-align: right;">W. R. Henn</p>																																																			
AS 6-51.4 METALLURGICAL LITERATURE CLASSIFICATION																																																			

1ST AND 2ND COLUMNS										3RD AND 4TH COLUMNS									
PROCEDURES AND PROPERTIES NOTES																			
<p>21</p> <p>Chrome yellow from lead formate. N. N. Kiremov and A. A. Venzlovskii, <i>J. Applied Chem.</i> (U. S. S. R.) 6, 665 2(1933). $Pb(HCO_2)_2$ (10 parts) was dissolved in 10 parts hot H_2O and to the soln. was added 10 parts of cold H_2O. A second soln. was prepn. from 2 parts $K_2Cr_2O_7$ in 10 parts hot H_2O and 1-2 parts strong H_2SO_4; this soln. was chilled with 10 parts H_2O. When both solns. were cold, the second was poured into the first soln. with constant agitation. The product was equal to that obtained from other sol. Pb salts, and all the methods used in other preps. of chrome yellow can be applied to the prepn. from the formate. The prepn. of chrome yellow by the dry process is much simpler and it may be recommended if there are no particular conditions attached to the quality of the color.</p> <p>A. A. Boehlingk</p>										<p>26</p>									
										COMMON VARIANTS NOTES									
ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION																			
FROM SOURCE										FROM SOURCE									
100000-100 000										100000-100 000									
100000-100 000										100000-100 000									

1ST AND 2ND ORDERS		PROCESSES AND PROPERTIES INDEX		100 AND 11th ORDERS																																																																																																																																																																																																																																																																																																																			
18		18		18																																																																																																																																																																																																																																																																																																																			
<p>Production of potassium sulfate by treatment of carnallite with sulfuric acid. A. A. Vecherzhil and P. F. Nezhdanov. <i>Kaifil</i> (U. S. S. R.) 1933, No. 10, 38-43. — The equil. of K_2SO_4-$MgSO_4$-Na_2SO_4-H_2O system, obtained by treatment of carnallite with H_2SO_4, was studied to develop a com. method for sepn. of these sulfates. The washing of sulfates (K_2SO_4, 26.43; $MgSO_4$, 30.00; Na_2SO_4, 37.33%) with H_2O at 33° yielded 18.2% of pure K_2SO_4, left as undissolved salt (or 64% of the total K_2SO_4 in the sulfate mixt.). The soln. from this washing was cooled to 11°; the crystal. salts were discarded; the soln. was diluted, heated to 33° and used to dissolve a second portion of sulfate mixt. The undissolved crystals left from the second portion had 82% K_2SO_4 and 64% $MgSO_4$ (in the form of $K_2SO_4 \cdot MgSO_4 \cdot 6H_2O$ 82%; $MgSO_4 \cdot 7H_2O$ 18%) and were converted to K_2SO_4 by double decomposition reaction with KCl. The soln. was cooled again and the cycle repeated. James Sorrel</p>																																																																																																																																																																																																																																																																																																																							
ASS-SLA METALLURGICAL LITERATURE CLASSIFICATION																																																																																																																																																																																																																																																																																																																							
<table border="1"> <thead> <tr> <th>1ST ORDER</th> <th>2ND ORDER</th> <th>3RD ORDER</th> <th>4TH ORDER</th> <th>5TH ORDER</th> <th>6TH ORDER</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2</td> <td>3</td> <td>4</td> <td>5</td> <td>6</td> </tr> <tr> <td>7</td> <td>8</td> <td>9</td> <td>10</td> <td>11</td> <td>12</td> </tr> <tr> <td>13</td> <td>14</td> <td>15</td> <td>16</td> <td>17</td> <td>18</td> </tr> <tr> <td>19</td> <td>20</td> <td>21</td> <td>22</td> <td>23</td> <td>24</td> </tr> <tr> <td>25</td> <td>26</td> <td>27</td> <td>28</td> <td>29</td> <td>30</td> </tr> <tr> <td>31</td> <td>32</td> <td>33</td> <td>34</td> <td>35</td> <td>36</td> </tr> <tr> <td>37</td> <td>38</td> <td>39</td> <td>40</td> <td>41</td> <td>42</td> </tr> <tr> <td>43</td> <td>44</td> <td>45</td> <td>46</td> <td>47</td> <td>48</td> </tr> <tr> <td>49</td> <td>50</td> <td>51</td> <td>52</td> <td>53</td> <td>54</td> </tr> <tr> <td>55</td> <td>56</td> <td>57</td> <td>58</td> <td>59</td> <td>60</td> </tr> <tr> <td>61</td> <td>62</td> <td>63</td> <td>64</td> <td>65</td> <td>66</td> </tr> <tr> <td>67</td> <td>68</td> <td>69</td> <td>70</td> <td>71</td> <td>72</td> </tr> <tr> <td>73</td> <td>74</td> <td>75</td> <td>76</td> <td>77</td> <td>78</td> </tr> <tr> <td>79</td> <td>80</td> <td>81</td> <td>82</td> <td>83</td> <td>84</td> </tr> <tr> <td>85</td> <td>86</td> <td>87</td> <td>88</td> <td>89</td> <td>90</td> </tr> <tr> <td>91</td> <td>92</td> <td>93</td> <td>94</td> <td>95</td> <td>96</td> </tr> <tr> <td>97</td> <td>98</td> <td>99</td> <td>100</td> <td>101</td> <td>102</td> </tr> <tr> <td>103</td> <td>104</td> <td>105</td> <td>106</td> <td>107</td> <td>108</td> </tr> <tr> <td>109</td> <td>110</td> <td>111</td> <td>112</td> <td>113</td> <td>114</td> </tr> <tr> <td>115</td> <td>116</td> <td>117</td> <td>118</td> <td>119</td> <td>120</td> </tr> <tr> <td>121</td> <td>122</td> <td>123</td> <td>124</td> <td>125</td> <td>126</td> </tr> <tr> <td>127</td> <td>128</td> <td>129</td> <td>130</td> <td>131</td> <td>132</td> </tr> <tr> <td>133</td> <td>134</td> <td>135</td> <td>136</td> <td>137</td> <td>138</td> </tr> <tr> <td>139</td> <td>140</td> <td>141</td> <td>142</td> <td>143</td> <td>144</td> </tr> <tr> <td>145</td> <td>146</td> <td>147</td> <td>148</td> <td>149</td> <td>150</td> </tr> <tr> <td>151</td> <td>152</td> <td>153</td> <td>154</td> <td>155</td> <td>156</td> </tr> <tr> <td>157</td> <td>158</td> <td>159</td> <td>160</td> <td>161</td> <td>162</td> </tr> <tr> <td>163</td> <td>164</td> <td>165</td> <td>166</td> <td>167</td> <td>168</td> </tr> <tr> <td>169</td> <td>170</td> <td>171</td> <td>172</td> <td>173</td> <td>174</td> </tr> <tr> <td>175</td> <td>176</td> <td>177</td> <td>178</td> <td>179</td> <td>180</td> </tr> <tr> <td>181</td> <td>182</td> <td>183</td> <td>184</td> <td>185</td> <td>186</td> </tr> <tr> <td>187</td> <td>188</td> <td>189</td> <td>190</td> <td>191</td> <td>192</td> </tr> <tr> <td>193</td> <td>194</td> <td>195</td> <td>196</td> <td>197</td> <td>198</td> </tr> <tr> <td>199</td> <td>200</td> <td>201</td> <td>202</td> <td>203</td> <td>204</td> </tr> <tr> <td>205</td> <td>206</td> <td>207</td> <td>208</td> <td>209</td> <td>210</td> </tr> <tr> <td>211</td> <td>212</td> <td>213</td> <td>214</td> <td>215</td> <td>216</td> </tr> <tr> <td>217</td> <td>218</td> <td>219</td> <td>220</td> <td>221</td> <td>222</td> </tr> <tr> <td>223</td> <td>224</td> <td>225</td> <td>226</td> <td>227</td> <td>228</td> </tr> <tr> <td>229</td> <td>230</td> <td>231</td> <td>232</td> <td>233</td> <td>234</td> </tr> <tr> <td>235</td> <td>236</td> <td>237</td> <td>238</td> <td>239</td> <td>240</td> </tr> <tr> <td>241</td> <td>242</td> <td>243</td> <td>244</td> <td>245</td> <td>246</td> </tr> <tr> <td>247</td> <td>248</td> <td>249</td> <td>250</td> <td>251</td> <td>252</td> </tr> <tr> <td>253</td> <td>254</td> <td>255</td> <td>256</td> <td>257</td> <td>258</td> </tr> <tr> <td>259</td> <td>260</td> <td>261</td> <td>262</td> <td>263</td> <td>264</td> </tr> <tr> <td>265</td> <td>266</td> <td>267</td> <td>268</td> <td>269</td> <td>270</td> </tr> <tr> <td>271</td> <td>272</td> <td>273</td> <td>274</td> <td>275</td> <td>276</td> </tr> <tr> <td>277</td> <td>278</td> <td>279</td> <td>280</td> <td>281</td> <td>282</td> </tr> <tr> <td>283</td> <td>284</td> <td>285</td> <td>286</td> <td>287</td> <td>288</td> </tr> <tr> <td>289</td> <td>290</td> <td>291</td> <td>292</td> <td>293</td> <td>294</td> </tr> <tr> <td>295</td> <td>296</td> <td>297</td> <td>298</td> <td>299</td> <td>300</td> </tr> </tbody> </table>						1ST ORDER	2ND ORDER	3RD ORDER	4TH ORDER	5TH ORDER	6TH ORDER	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300
1ST ORDER	2ND ORDER	3RD ORDER	4TH ORDER	5TH ORDER	6TH ORDER																																																																																																																																																																																																																																																																																																																		
1	2	3	4	5	6																																																																																																																																																																																																																																																																																																																		
7	8	9	10	11	12																																																																																																																																																																																																																																																																																																																		
13	14	15	16	17	18																																																																																																																																																																																																																																																																																																																		
19	20	21	22	23	24																																																																																																																																																																																																																																																																																																																		
25	26	27	28	29	30																																																																																																																																																																																																																																																																																																																		
31	32	33	34	35	36																																																																																																																																																																																																																																																																																																																		
37	38	39	40	41	42																																																																																																																																																																																																																																																																																																																		
43	44	45	46	47	48																																																																																																																																																																																																																																																																																																																		
49	50	51	52	53	54																																																																																																																																																																																																																																																																																																																		
55	56	57	58	59	60																																																																																																																																																																																																																																																																																																																		
61	62	63	64	65	66																																																																																																																																																																																																																																																																																																																		
67	68	69	70	71	72																																																																																																																																																																																																																																																																																																																		
73	74	75	76	77	78																																																																																																																																																																																																																																																																																																																		
79	80	81	82	83	84																																																																																																																																																																																																																																																																																																																		
85	86	87	88	89	90																																																																																																																																																																																																																																																																																																																		
91	92	93	94	95	96																																																																																																																																																																																																																																																																																																																		
97	98	99	100	101	102																																																																																																																																																																																																																																																																																																																		
103	104	105	106	107	108																																																																																																																																																																																																																																																																																																																		
109	110	111	112	113	114																																																																																																																																																																																																																																																																																																																		
115	116	117	118	119	120																																																																																																																																																																																																																																																																																																																		
121	122	123	124	125	126																																																																																																																																																																																																																																																																																																																		
127	128	129	130	131	132																																																																																																																																																																																																																																																																																																																		
133	134	135	136	137	138																																																																																																																																																																																																																																																																																																																		
139	140	141	142	143	144																																																																																																																																																																																																																																																																																																																		
145	146	147	148	149	150																																																																																																																																																																																																																																																																																																																		
151	152	153	154	155	156																																																																																																																																																																																																																																																																																																																		
157	158	159	160	161	162																																																																																																																																																																																																																																																																																																																		
163	164	165	166	167	168																																																																																																																																																																																																																																																																																																																		
169	170	171	172	173	174																																																																																																																																																																																																																																																																																																																		
175	176	177	178	179	180																																																																																																																																																																																																																																																																																																																		
181	182	183	184	185	186																																																																																																																																																																																																																																																																																																																		
187	188	189	190	191	192																																																																																																																																																																																																																																																																																																																		
193	194	195	196	197	198																																																																																																																																																																																																																																																																																																																		
199	200	201	202	203	204																																																																																																																																																																																																																																																																																																																		
205	206	207	208	209	210																																																																																																																																																																																																																																																																																																																		
211	212	213	214	215	216																																																																																																																																																																																																																																																																																																																		
217	218	219	220	221	222																																																																																																																																																																																																																																																																																																																		
223	224	225	226	227	228																																																																																																																																																																																																																																																																																																																		
229	230	231	232	233	234																																																																																																																																																																																																																																																																																																																		
235	236	237	238	239	240																																																																																																																																																																																																																																																																																																																		
241	242	243	244	245	246																																																																																																																																																																																																																																																																																																																		
247	248	249	250	251	252																																																																																																																																																																																																																																																																																																																		
253	254	255	256	257	258																																																																																																																																																																																																																																																																																																																		
259	260	261	262	263	264																																																																																																																																																																																																																																																																																																																		
265	266	267	268	269	270																																																																																																																																																																																																																																																																																																																		
271	272	273	274	275	276																																																																																																																																																																																																																																																																																																																		
277	278	279	280	281	282																																																																																																																																																																																																																																																																																																																		
283	284	285	286	287	288																																																																																																																																																																																																																																																																																																																		
289	290	291	292	293	294																																																																																																																																																																																																																																																																																																																		
295	296	297	298	299	300																																																																																																																																																																																																																																																																																																																		

ca

6

Reactions of the higher oxides of iron with the sulfides of heavy metals. V. I. Smirnov and A. A. Veechikov. *Trudy Khim. Ind. Inst. 1938, No. 5, 30-39, Russ. Referat. Zhur. I, No. 11-12, 30(1938).* The reaction of Fe_2O_3 with the sulfides of heavy metals was investigated from the point of view of their character and the completeness of the reactions in systems $FeS-Fe_2O_3$, $FeS-Fe_2O_3$, $FeS-Fe_2O_3$, $CuS-Fe_2O_3$, $CuS-Fe_2O_3$, $ZnS-Fe_2O_3$ and $ZnS-Fe_2O_3$. The reactions took place in a fire oven in an atm. of N_2 carefully purified from admixts. of O_2 . The results for each system are given in diagrams. Fe_2O_3 shows a high chem. activity toward the sulfides of heavy

metals. The reaction between Fe_2O_3 and the heavy metal takes place in 2 stages; in the first of these (500-550°) Fe_2O_3 is reduced to Fe_3O_4 , and in the second (at a higher temp.) Fe_3O_4 is reduced to FeO in the presence of an excess of the sulfide. The presence of silica shortens the time of the reduction of Fe_2O_3 and lowers the temp. of the reaction. Max. activity is shown by FeS , and min. by Cu_2S .
W. R. Hearn

W. R. Henn

ADDITIONAL METALLURGICAL LITERATURE CLASSIFICATION

1ST AND 2ND LETTERS																										3RD AND 4TH LETTERS																									
PROCESSING AND PROPERTY INDEX																																																			
<p><i>ca</i> 18</p> <p>Carnallites of Northern Ural and their refining. N. N. HIRSHOV AND A. A. VAS- LOVSKIY. <i>Zhur. Prikladnoi Khim.</i> 2, 827-89(1923). About 22 billion tons, with an av- erage content of 21% of K salts, are available; 73-75% of them are carnallites and 27-28% silvinites. Chem analysis of 1 of the samples showed KCl 23.65, MgCl₂ 25.88, H₂O 28. (X), NaCl 20.60, CaSO₄ 0.49, insol. residue 0.78. It is possible to enrich the rock me- chanically. A cold method for sepr. the salts is described. V. KALICHVINSKY</p>																																																			
<p>ASD-LLA METALLURGICAL LITERATURE CLASSIFICATION</p> <p>STON: 519-2117</p> <p>SEARCHED: 18</p> <p>INDEXED: 18</p> <p>CLASSIFIED: 18</p> <p>REVIEWED: 18</p> <p>APPROVED: 18</p>																																																			

VESELOVSKIY, A.

Stability of models on a course. Voenn. znan. 37 no.9:34 S '61.
(MIRA 14:9)

1. Nachal'nik Tsentral'noy laboratorii morskogo modelizma
Dobrovol'nogo obshchestva sodeystviya armii, aviatsii i flotu.
(Ships--Models)

VESELOVSKIY, A., sud'ya I kategorii po morskomu modelizmu.

Builders of high-speed models at the starting line. Voen.znan.
37 no.4:33-34 Ap '61. (MIRA 14:4)

(Motorboats--Models)

VESELOVSKIY, A.I.; GLUKHOVTSEV, S.A.; ZAKHAROV, S.N.; KRIVONOSOV, L.M.;
GRIGOR'YEVA, A.I., red.; KARYAKINA, M.S., tekhn.red.

[Ship models] Mornkoi modelizm. Moskva, Izd-vo DOSAAF, 1960.
316 p. (MIRA 13:11)
(Ship models)

VESELOVSKIY, A.M.

PANASYUK, V.G., dotsent; VESELOVSKIY, A.M.; OVCHARENKO, A.P.

Characteristics of lignin processed from cotton seed hulls by hydrolysis.
Gidroliz. i lesokhim. prom. 8 no.4:16-18 '55. (MLRA 8:9)

1. Dnepropetrovskiy khimiko-tehnologicheskii institut.
(Lignin) (Cotton seed)

VESELOVSKIY, A., sud'ya respublikanskoy kategorii po sudomodel'nomu sportu
(Moskva)

Automatic unit for controlling a model submarine. Voen. znan. 39
no.3:30-31 Mr '63. (MIRA 16:7)
(Ship models) (Automatic control)

VESELOVSKIY, Aleksandr Ivanovich; KATIN, Lev Nikolayevich;
KONTUSHENKO, I.A., red.; PELYCHENKO, N.I., red.; SORKIN,
M.Z., tekhn. red.

[Radio-controlled ship models] Radioupravliaemaia model'
korablia. Moskva, Izd-vo DOSAAF, 1963. 80 p.
(MIRA 16:10)

(Ship models--Radio control)

AUTHOR: Veselovskiy, A.N. SOV/19-58-6-180/685

TITLE: Protection for Electric Three-Phase Installations
(Zashchita trekhfaznykh elektroustanovok)

PERIODICAL: Byulleten' izobreteniy, 1958, Nr 6, p 43 (USSR)

ABSTRACT: Class 21c, 70. Nr 113776 (583400 of 18 Sep 1957). Submitted to the Committee for Inventions and Discoveries at the Ministers Council of USSR. Protection for electric three-phase installations by three fuses, with the fusing of one causing the circuit of the other phases to be broken. To make the protection more reliable and increase the interrupting power of the fuse, the middle portion of the fuse insert is placed into a metal casing electrically connected with one of the adjacent phases through the fusing insert.

Card 1/1

BIDA, Ye.M., inzh.; IVLEYEV, A.P., inzh.; VESELOVSKIY, A.P., inzh.;
POPOVNIK, M.G., inzh.

Use of transformer insulating oils in a municipal electric power
distribution network. Elek. sta. 35 no.11:60-63 N '64. (MIRA 18:1)

1. Sverdlovskaya gorodskaya elektroset' (for Bida).
2. Kuybyshev-
energo (for Ivleyev).
3. Ivanovskaya kabel'naya set' (for Vese-
lovskiy, Popovnik).

VESELOVSKIY, A. P.

✓ 1430. INCREASING THE SERVICE LIFE OF TRANSFORMER OIL IN OIL-FILLED BUSHINGS BY MEANS OF VTI-1 ADDITIVE. Veselovskiy, A.P. (Energetik (Moscow), 1952, 1952, 1-3). In 1948 VTI-1 additive was incorporated in the turbine oil used in certain turbo-generators, considerably increasing the service life of the oil. Since the oil in certain bushings had to be changed every two or two years because of acid and sludge formation, it was decided, in 1948, to incorporate the same additive in a concentration of 0.01% in transformer oil used to fill 5 oil-filled bushings on Brown-Boveri multigear. The sixth bushing was filled with oil without additive. In 7 1/2 years the neutralization value of the oil without additive rose steadily to 0.4 mg KOH/g, when it was changed, but that of the oil with additive rose to only 0.06 mg KOH/g in 10 years. Since 1952 additive-type oil has been used in all 110 kV bushings of transformers and switchgear. A solution of 3-4% additive in transformer oil is added to the oil used to fill the bushings in such quantity as to give an overall additive concentration of 0.01%. With oil that is susceptible to the additive, its use in oil-filled bushings permits appreciable savings in oil.

S.A.

VESELOVSKIY, A.P., inzh.

Use of the VTI-1 additive for increasing the life of transformer oil
in oil filled inlets. Energetik 10 no.2:29-30 F '62.
(MIRA 15:2)

(Insulating oils)

VESELOVSKIY, A.P., inzh.; POPOVNIIN, M.G., inzh.

For maximum economy of oils. Energetik 8 no.11:379 N '60.
(MIRA 13:12)

(Insulating oils) (Electric transformers)

VESELOVSKIY, A.P., inzhener.

Prolonging the use of transformer oil in oil-immersed lead-ins by adding
(MLHA 6:8)
VTI-1. Energetik 1 no.3:2-3 Ag '53. (Electric transformers)

VESELOVSKIY A.P.

Electrical Engineering
Abst.
Section B
March 1954
Insulating Materials.
Insulators.

621.315.615.2 : (21.315.626)
496. Increasing the service life of transformer oil in oil-filled bushings by means of additive VTI-1. A. P. VESELOVSKIY. *Energetik*, No. 3, 1-3 (1953) In Russian.
In 1940 VTI-1 additive was incorporated in the turbine oil used in certain turbo-generators, considerably increasing the service life of the oil. Since the oil in certain bushings had to be changed every one or two years because of acid and sludge formation, it was decided, in 1943, to incorporate the same additive in a concentration of 0.01% in transformer oil used to fill 5 oil-filled bushings on Brown-Boveri switchgear. The sixth bushing was filled with oil without additive. In 7½ years the neutralization value of the oil without additive rose steadily to 0.4 mg KOH/g, when it was changed, but that of the oil with additive rose to only 0.06 mg KOH/g in 10 years. Since 1952 additive-type oil has been used in all 110 kV bushings of transformers and switchgear. A solution of 3-4% additive in transformer oil is added to the oil used to fill the bushings in such quantity as to give an overall additive concentration of 0.01%. With oil that is susceptible to the additive, its use in oil-filled bushings permits appreciable savings in oil.
A. R. STOKER

VESELOVSKIY, A.P., inzhener; DOMNICHEVA, Ye.N.

Using antioxidant additives in turbine oils. Elek.sta. 28 no.3:
22-24 Mr '57. (MIRA 10:5)
(Lubrication and lubricants)
(Turbines).

VESELOVSKIY, A.P., inzh.; POPOVNIK, M.O., inzh.

Increase of the life of the insulating oil of small electric power
transformers. Atom.energ. 17 no.5:12-16 My '62. (MIRA 15:5)
(Electric transformers) (Insulating oils)

VESELOVSKIY, A.P.

104-3-7/45

AUTHOR: Veselovskiy, A.P., Engineer and Domnischeva, Ye.N.

TITLE: The application of anti-oxidant additives to turbine oils.
(Primeneniye antiokislitel'nykh prisadok k turbinnym maslam)

PERIODICAL: "Elektricheskiye Stantsii" (Power Stations), 1957,
Vol. 28, No.3, pp. 22 - 24 (U.S.S.R.)

ABSTRACT: In the power system of Ivenergo work has been going on since 1940-41 to increase the service life of transformer and turbine oils by the use of adsorbents without stopping the equipment, the regeneration of transformer oil by adsorbents and sodium phosphate and the use of anti-oxidant additives in turbine and transformer oils. As a result the consumption of oil has been much reduced, the reliability of the operation of the equipment has been increased and other benefits have followed. Until 1940 the oil in a turbine type AK-25-1 operating in a base load station was usually changed once a year. At every oil change the oil system was dismantled and carefully cleaned. In 1940 0.01% of additive BTM-1 was added to the oil. At the end of 3 years the neutralisation value of the oil was much less than normal but it contained some finely dispersed sludge and was replaced. However, not all oils are susceptible to additive BTM-1 as has been shown by oxidation tests. However, another additive BTM-8 has been tried at a

Card 1/3

104-3-7/45

The application of anti-oxidant additives to turbine oils.
(Cont.)

concentration of 0.2% with very good oxidation test results. A disadvantage of additive BTM-8 is its liability to cause turbidity of the oil in service by interaction between the additive and certain unstable components of the oil. The oil has to be filtered with a filter press for several days in order to remove turbidity. During three months operation of the oil in a turbine the neutralisation value has remained unchanged. Oil containing additive BTM-1 operated unsatisfactorily in an SSW 35 MW turbo-generator set and had to be regenerated four times in the course of a year. The additive 2,6-ditertiary butyl-4-methyl phenol was added to the oil and gave good results. The main advantage of this additive is that it is easily soluble in the oil, a disadvantage is the high concentration of 0.2% which is required compared with the other anti-oxidants that are used. It is concluded that the use of additive BTM-1 in a concentration of 0.01% in new turbine oils that are susceptible to it increases the service life of these oils by several times. It would be desirable to obtain inhibited type turbine oils direct from the refineries. Alternatively the refineries should ensure that the oil is susceptible to the additive. The service life of turbine oil

Card 2/3

104-3-7/45

The application of anti-oxidant additives to turbine oils.
(Cont.)

is considerably extended by the use of 0.02% of additive BTM-8. This additive should be used immediately after the severest possible regeneration of the oil by an adsorbent. The deposit that forms in the oil in the first days after the addition of the additive should be removed by filtering the oil through a filter press until it is quite clear. The service life of turbine oil can be much increased by the use of alkyl-phenol additive the main advantage of this additive is its easy solubility and no deposits are formed when it is added to the oil. There are 3 figures and 2 Slavic references.

AVAILABLE: Library of Congress

Card 3/3

1. VESELOVSKIY, B. B.
2. USSR (600)
4. City Planning - Moscow
7. "History of planning and development of Moscow." P. V. Sytin. Gor.khoz.Mosk. 26 no.10, 1952

9. Monthly List of Russian Accessions, Library of Congress, January 1953. Unclassified.

1. VESELOVSKIY, B. B., PROF.

2. USSR (600)

4. Moscow - City Planning

7. "History of planning and development of Moscow."
P. V. Sytin. Reviewed by Prof. B. B. Veselovskiy
Gor. Khoz. Mosk. 26. No. 10. 1952

9. Monthly List of Russian Accessions, Library of Congress, January 1953. Unclassified.

VESELOVSKII, B. K.
A. P. KAPUSTINSKII, Trudi Vsesoyuznogo Nauchno-Issledovatel'skogo
Instituta Mineral'nogo, 1936, (109) 68-94

VESELOVSKII, B. K.
E. V. BRITZKIE, ZhFKh, 5, 77-84(1934)

VESELOVSKII, B. K.

A. F. KAPUSTINSKII, Trudi Vsesoyuznogo Nauchno-Issledovatel'skogo Instituta
Mineral'nogo, 1936, 109, 68-94

~~RECORDED~~

VESELOVSKIY, B. K.

KAPUSTINSKIY, A. F., ZILBERMAN, A. and VESELOVSKIY, B. K. CA: 31-4868/5
Trans. All-Union Sci. Research Instl.-Econl Mineral 109, 68-94 (1936)
The system tin-carbon-oxygen.

~~RECORDED~~

~~RESTRICTED~~

VESELOVSKIY, B. K.

BRITSKE, E. V. and VESELOVSKIY, B. K.

CA: 33-5735/2

(Dept. Tech. Sci., Acad. Sci. USSR)

Izvestia. akad. Nauk USSR, Otdel. Tekn. Nauk 1937, No. 4. 479-88 (1938)

Calcium phosphate and its thermal properties.

~~RESTRICTED~~

~~RESTRICTED~~

VESELOVSKIY, B. K.

CA: 32-8251/4

KAPUSTINSKIY, A. F. and VESELOVSKIY, B. K.
(Inst. Applied Mineralogy, Moscow)
J. Phys. Chem. (USSR) 11, 68-76 (1938)
Heat capacity of silver sulfide.

~~RESTRICTED~~

COMMON ELEMENTS		PROCESSES AND PROPERTIES INDEX	
BC		A-1	
<p>Heat capacity of silver sulphide. A. F. KAPUS- TINKIN and B. K. VASILEVSKI (J. Phys. Chem. Russ., 1938, 11, 68-76).—The heat of transition of β- into γ-Ag₂S is 1060 ± 90 g.-cal. per mol. The heat capacity of γ-Ag₂S between 179° and 570° is 22.0 g.-cal. per mol. J. J. B.</p>			
<p>ASS-51A METALLURGICAL LITERATURE CLASSIFICATION</p>			
SIGNATURE		SIGNATURE	
DATE		DATE	
BY		BY	
NO.		NO.	
REV.		REV.	
APP.		APP.	
CHK.		CHK.	
FOL.		FOL.	
PAGES		PAGES	
TOTAL		TOTAL	
REMARKS		REMARKS	

Ph. 16.

Vapour pressure of the sulphides of antimony, lead, cadmium, and zinc. H. K. Vashirvadi (J. Appl. Chem. Russ., 1942, 18, 422-436).---
 Knudsen's effusion method was used and checked on KCl between 846° and 971° K. Log p (in mm. Hg) of stable Sb_2S_3 at 846-900° K. is 12.846 - 11200/T, of CdS at 822-1030° K., 9.822 - 11254/T, and of ZnS (sphalerite) at 1022-1406° K., 9.495 - 14200/T. Log p of PbS is 2.262 at 878° and 1.686 at 1040° K. The error is $\pm 5\%$ except for ZnS , for which it is larger because of oxidation. Thermodynamic functions of the sulphides are calc.; it is necessary to assume that Sb_2S_3 is the correct formula of Sb sulphide. Freshly sublimed Sb_2S_3 has a higher v.p. than recryst. Sb_2S_3 . J. J. B.

VEDLOVSKI, S. A.

L. V. BRITZKE, ZhFKh, 1934, 5, 77-84, 103-106

117 AND 118		119 AND 120	
SUBJECT AND PROPERTY INDEX			
<p>Ca</p> <p>Stability and volatility of Sn oxides. B. K. Vondra. <i>J. Applied Chem. (U. S. S. R.)</i> 16, No. 9/10, 207-210 (1963) (English summary).—On the basis of thermodynamic data of the system Sn-SnO-SnO₂, it was shown that there exists a zone of stability of the lower oxide, in the range 200-600°C., for the reaction $2\text{SnO} = \text{SnO}_2 + \text{Sn}$. For this reaction were detd.: $\Delta H^\circ_{298} = -90 \pm 50$; $\Delta H^\circ_{1000} = -68 \pm 100$; $\Delta S^\circ_{298} = -5.12 \pm 0.2$; $\Delta S^\circ_{1000} = 80$. By Krasovskii's method it was shown that in the equl. of SnO and SnO₂, 700-800°C., the thermal value of entropy of SnO is $\Delta S^\circ_{298} = 1.0$, which is in good agreement with the statistically derived value from mol. and spectrum data (55.82). Calculs. were made on the mechanism of the initial stages of reduction of cassiterite at high temp., and conditions were shown for lowering the loss of Sn in technological processes. It was shown that volatility of Sn at high temp. is due to volatility of gaseous SnO. G. M. Kozolapov.</p>			
METALLURGICAL LITERATURE CLASSIFICATION			
FROM SYMBOL		FROM SYMBOL	
117 AND 118		119 AND 120	
117 AND 118		119 AND 120	

LIST AND INDEX SERIES										PROCESSING AND PROPERTIES INDEX										JMS AND JTH CAPS									
<p>Heat capacity of silver sulfide. A. P. Kapustin and B. K. Yankovskii. <i>J. Phys. Chem. (U. S. S. R.)</i> 11, 64-76 (1968).—The heat of transition of β- into γ-Ag₂S is 1050 \pm 20 cal. per mol. The heat capacity of γ-Ag₂S between 170° and 570° is 22.0 cal. per mol.</p> <p>B. C. P. A.</p>																													
<p>ASH-11A METALLURGICAL LITERATURE CLASSIFICATION</p>																													
FROM SOURCE										FROM SOURCE										FROM SOURCE									
100000 01										100000 01										100000 01									
100000 01										100000 01										100000 01									

1ST AND 2ND COORDS																										PROCESSING AND PROPERTIES AREA																																																			
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26																										1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26																																																			
<div style="position: relative; height: 150px;"> ca 2 </div>																										<p>The theory of crystals. I. General equations of the energy of crystal lattices. A. P. Kapustinikii. <i>J. Phys. Chem.</i> (U. S. S. R.) 5, 50-53 (1964); (U. S. A. 28, 2237). A relationship between Madelung coeffs. and various crystal structures was set up, and the equation $U_0 = (\sum q_i^2 / 2) \cdot \alpha \cdot (N_0 \cdot q_0 / R_0) [1 - (1/m)]$, was derived, in which m is an integer from 5 to 12, α is Avogadro's number, $\sum q_i^2$ is the number of atoms in the mol., α is a const. approx. 1.7, and q_i, q_0 are the valences. For calc. the energy of crystal lattices independently of crystal structure the equation $U = 256.1 \sum q_i q_0 / (r_i + r_0)$ is suggested, in which r_i and r_0 are the ionic radii. II. Energy of a crystal and its thermochemical application. A. P. Kapustinikii and B. K. Venclovskii. <i>Ibid.</i> 64-72. A table giving the exptl. "HSC" values for U and U_0 shows good agreement for many fluorides, chlorides, bromides, iodides, oxides and sulfides. A nomogram is given for rapid calcn. of the heat effects of typical heteropolar compds. III. Relationships of energy in morphotropic series of crystals. Polymorphism and isomorphism. A. P. Kapustinikii. <i>Ibid.</i> 73-81. On the basis of energy data on several Sn compds., the radius of Sn^{2+} is found to be $1.04 \pm 0.02 \text{ \AA}$. F. H. Rathmann</p>																																																			
																										<p>ASB-SLA DETALLURGICAL LITERATURE CLASSIFICATION</p>																																																			
<p>SECTION DIVISION</p>																										<p>SECTION DIVISION</p>																																																			
<p>SECTION DIVISION</p>																										<p>SECTION DIVISION</p>																																																			

1. VESELOVSKIY, B. S.
2. USSR (600)
4. Champagne (wine)
7. New machinery for champagne production. Vin. SSSR 12, No. 11, 1952.

9. Monthly List of Russian Accessions. Library of Congress. March, 1953. Unclassified

VESELOVSKIY, B. S.

Champagne (Wine)

Assembly-line method for bottling bulk champagne. Vin. SSSR 13, No. 3, 1953.

9. Monthly List of Russian Accessions, Library of Congress, June 1953, Uncl.

L 11913-66 EWT(m)/T/EMA(m)-2

ACC NR: AP6001156

SOURCE CODE: UR/6367/65/00:1/663/6496/6566

AUTHOR: Veselovskiy, G.S.; Grashin, A.F.; Demidov, V.S.; Kuznetsov, Ye. P.; Ponomov, A.K.; Protasov, V.P.; Sergeyev, E.M.

ORG: Institute of Theoretical and Experimental Physics, GKIAE (Institut teoreticheskoy i eksperimental'noy fiziki)

TITLE: Production of slow pi mesons on light nuclei and the pi-pi interaction

SOURCE: Yadernaya fizika, v. 2, no. 3, 1965, 496-500

TOPIC TAGS: pi meson, pion pion interaction

ABSTRACT: The object of the study was to find the possible resonance states in a system composed of two π -mesons at low energies:

$$Q = M_{\pi\pi} - 2\mu = [(\omega_{\pi_1} + \omega_{\pi_2})^2 - (p_{\pi_1} + p_{\pi_2})^2]^{1/2} - 2\mu \lesssim \mu$$

μ being the mass of a π -meson. The statistical material was obtained by studying the production of slow π^+ mesons upon collision of π^- mesons (initial momentum 2.8 GeV/sec) with nuclei of a freon mixture in a 17- and 200-liter bubble chambers. In analyzing the films, all those cases were selected which involved interaction between π -mesons and the nuclei of the working liquid, resulting in the formation of two or more slow π -mesons which stopped in the working substance of the chamber. The Q distributions of the bignon in the range $Q < 100$ MeV were obtained. The distribution for $\pi^+\pi^-$ pairs differs from that for $\pi^+\pi^+$ and

Card 1/2

L 11913-66

ACC NR: AP6001156

$\pi^+\pi^-$ pairs; this may be explained by the presence of a strong $\pi\pi$ interaction in the isotopic state $T = 0$. Orig. art. has: 5 figures.

SUB CODE: 20 / SUBM DATE: 03Jul64 / ORIG REF: 004 / OTH REF: 001

60
Card 2/2

AKSYANTSEV, M.I.; VESELOVSKIY, D.A.

Reaction of the body internal relations following afferent stimulations of the bone system. Fiziol.zhur. 50 no.1:58-63 Ja '64.
(MIRA 18:1)

1. Nauchno-issledovatel'skiy institut travmatologii i ortopedii,
Kazan'.

1-58951-65 EPP(1)/BWT(1)/REC(1) FI-4 176(G) 00/0000 31
 UR/3138/64/000/273/0001/0008 29
 ACCESSION NR: AT5010455 B+1

AUTHORS: Versbryusov, V. S.; Veselovskiy, G. S.; Grashin, A. F.;
Demidov, V. S.; Kuznetsov, Ye. V.; Kuznetsov, Ye. P.; Ponomarev, A. K.;
Protasov, V. P.; Sergeyev, F. M.; Shaferov, Ya. Y.

TITLE: Data on pp resonance with $Q = 148$ MeV

SOURCE: USSR. Gosudarstvennyy komitet po ispol'zovaniyu atomnoy
energii. Institut teoreticheskoy i eksperimental'noy fiziki. Doklady
no. 273, 1964, Dannyye o pp-rezonanse s $Q = 148$ MeV, 1-8

TOPIC TAGS: proton, proton resonance, diproton resonance, pion nucleon
resonance, excitation energy

ABSTRACT: The authors present data on a possible new photon resonance
with excitation energy 148 MeV. The photographs were obtained with a
17-liter bubble chamber filled with a freon mixture (without magnetic
field) at masses of the OIYal Joint In-

Institute of Nuclear Research

Card 1/3

L 50753-0.1

2 Figures

Card 2/7

NR REP SOV: 001

OTHER: 002

Card 3/3

VESELOVSKIY, G.V.

Constructing lines of influence for continuous beams with plane
broken contour. Trudy NPI 117:23-34 '61. (MIRA 15:7)
(Beams and girders, Continuous)

VORONTSOV, G.V.; VOROB'YEV, L.N., dots., otv. red.; VESELOVSKIY, G.V.,
dots., red.; ZARIF'YAN, A.Z., starshiy prepodavatel', red.;
NAUMOVA, Yu.A., tekhn. red.

[Numerical solution of problems in structural mechanics for
rods by the mixed matrix method] Chislennoe reshenie zadach
stroitel'noi mekhaniki sterzhnei po matrichnomu smeshannomu
metodu. Novochoerkassk, Redaktsionno-izdatel'skii otdel NPI,
1962. 96 p. (MIRA 16:2)
(Elastic rods and wires) (Matrices)

VESELOVSKIY, G.V.

Constructing lines of influence for continuous beams with plane
broken contour. Trudy NPI 117:23-34, '61. (MIRA 15:7)
(Beams and girders, Continuous)

VESELOVSKIY, G.V.

Plotting the influence lines for round continuous beams and collars
using formulas of unit displacements. Trudy NPI 91:3-22 '60.
(MIRA 14:5)

(Girders)

VORONTSOV, Georgiy Vasil'yevich, dots., kand. tekhn. nauk;
VESELOVSKIY, G.V., dots., red.; ZARIF'YAN, A.Z., dots.,
red.; DOROV, I.S., dots., red.

[Free and forced vibrations of rods and frames] Svobodnye
i vynuzhdennye kolebaniia sterzhnei i ram. Novochoerkassk,
Redaktsionno-izdatel'skii otdel NPI, 1963. 11 p.
(MIRA 17:1)

1. Novochoerkassk. Politekhnikheskiy institut.

SOV/124-57-8-9497

Translation from: Referativnyy zhurnal. Mekhanika, 1957, Nr 8, p 132 (USSR)

AUTHOR: Veselovskiy, G. V.

TITLE: Analysis of a Continuous Beam Having a Circular Axis (Raschet nerazreznoy balki s krugovoy os'yu)

PERIODICAL: Nauch. tr. Novocherkas. politekhn. in-ta, 1955, Vol 29 (43), pp 52-64

ABSTRACT: The author describes a method for analyzing an open-section continuous curvilinear beam, a method involving use of a six-support-moment equation system. A beam having an axis in the form of a circular arc, for the purposes of this analysis, is treated as though it were a continuous straight beam. Formulae are adduced for calculation of the coefficients contained in the six-support-moment equation system. The problem of the rational calculation of the free terms in these equations is not touched upon. Simplified formulae are offered for a case wherein the supports are placed at uniform intervals. The method described in this paper is applicable only to circular beams resting on an odd number of supports.

Card 1/1

Yu. P. Grigor'yev

VESHLOVSKIY G.V. , dotsent, kandidat tekhnicheskikh nauk.

Calculating continuous beam with the circular shaft. Nauch.trudy
NPI 29:52-64 '55. (MIRA 10:1)

1. Novochoerkasskiy politekhnicheskii institut, Kafedra stroitel'noy
mekhaniki. (Girders)

USSR/Cultivated Plants - Potatoes, Vegetables, Melons.

M.

Abs Jour : Red Zhur - Biol., No 10, 1956, 44089

Author : Voshlovskiy, I.A.

Inst : Leningrad Agricultural Institute.

Title : Selection of Potatoes Resistant to Fungus Diseases and
Selection with Regard to Quick Ripening.

Orig Pub : Zap. Leningr. s.-kh. in-ta, 1956, vyp. 11, 306-309

Abstract : This article characterizes the conditions contributing
to the development of canker and phytophthora. The resis-
tant varieties and forms which may be used in selection
are noted. In crossing Ubel x S. andigenum (tozanum
form) Izandra variety was developed which is resistant
to the most dangerous south German race of potato canker
G. The following phytophthora resistant potato hybrids
for prospective production were also developed:

Card 1/2

.. USSR/Cultivated plants - Potatoes, Vegetables, Melons.

H.

Abs Jour : Ref Zhur - Biol., No 10, 1953, 44089

Irandra x Kanerasa; S. demissum x (Popo x Katadin) x
Rosaphelia; Severnaya Rosa x S. demissum x (Popo x Popo).
Also developed were the following quickly ripening varie-
ties at present assigned to rayons Kalitinsk (Cobbler x
Smolensky), Epron (Epicure x Alma), Irandra. By cross-
ing Epicure x (Epicure x Cobbler) an early quickly matu-
ring variety Murmansk (156/72) was obtained. -- G.H.
Chernov

Card 2/2

- 43 -

VESELOVSKIY, I.A.

Thladiantha. Bot. zhur. 48 no.4:564 Ap '63. (MIRA 16:5)

1. Ieningradskiy sel'skokhozyaystvennyy institut. Bot. zhur. 48
no.4:564 Ap '63. (MIRA 16:5)

(Thladiantha)

VESELOVSKIY, Icil' Aleksandrovich, zasl. deyatel' nauki RSFSR.
Prizimala uchastiye VESELOVSKAYA, M.A., kand. sel'khoz.
nauk; PEN'KOVA, G.A., red.

[Breeding and seed production of vegetables and fruit
crops] Seleksiia i semenovodstvo ovoshchnykh i plodo-
vykh kul'tur. Leningrad, Kolos, 1965. 230 p.
(MIRA 18:7)

VESELOVSKIY, Ioil' Aleksandrovich, prof., doktor sel'khoz. nauk;
VESELOVSKAYA, Mariya Aleksandrovna, kand. sel'khoz. nauk;
KOZHEVNIKOVA, Nataliya Nikolayevna, kand. sel'khoz. nauk;
PENKOVA, G.A., red.; BARANOVA, L.G., tekhn. red.

[Laboratory and field manual on the breeding and seed production of vegetable crops] Praktikum po selektsii i semenovodstvu oshchnykh kul'tur; dopushcheno upravleniem vysshego i srednego sel'skokhoziaistvennogo obrazovaniia Ministerstva sel'skogo khoziaistva SSSR v kachestve uchebnogo posobiia dlia podoovoshchnykh institutov i fakul'tetov. Leningrad, Sel'khozizdat, 1963. 141 p. (MIRA 16:7)
(Vegetable breeding—Study and teaching)

VESELOVSKIY, Ioil' Aleksandrovich, doktor sel'khoz. nauk, prof.;
MAL'CHIKOVA, V.K., red.; LEVONEVSKAYA, L.G., tekhn. red.

[Manual on field testing of potatoes; an aid for the testing
agronomist] Pamiatka po aprobatsii kartofelia; v pomoshch' ag-
ronomu-aprobatoru. Leningrad, Lenizdat, 1961. 70 p.
(MIRA 15:7)

(Seed potatoes)

VESELOVSKIY, I.A.; BELOSEL'SKAYA, Z.G.; MARKELOVA, V.P.; LEBEDEV, V.A.,
ref.; TIKHONOVA, I.M., tekhn. red.

[Calendar for the collective and state farm fruit and vegetable
grower] Kalendar kolkhoznogo i sovkhoznogo sadovoda i ovozhchevoda.
Leningrad, Lenizdat, 1962. 31 p. (MIRA 15:5)
(Fruit culture) (Vegetable gardening)

VESELOVSKIY, I. A.

21885 VESELOVSKIY, I. A. i VESELOVSKAYA, M. N.

Sortoizucheniye Kartofelya i ovoshchnykh Kul'tur v Leningradskoy oblasti
Trudy Pushkinsk. s. - Kl. in - ta, t. XIX, 1949, s. 33-44.

SO: Letopis' Zhurnal'nykh Statey, No. 29, Moskva, 1949

VESELOVSKIY IOIL ALEKSANDROVICH

Potatoes Leningrad, Izd. Vses. in-ta prikladnoi botaniki i novykh
kul'tur, 1930, 178 p.)32-851)

SB211.P8V4

VESELOVSKIY, I. A.

21884

VESELOVSKIY, I. A. i VESELOVSKAYA, M. N.

K voprosu o selektsii Kartofelya NA skorospelost' -
Trudy Pushkinsk. s - ka. in - ta. t. XIX, 1949, s. 29-32.

SO: Letopis' Zhurnal'nykh Statey, No. 29, Moskva, 1949

VESELOVSKIY, I.A.

Recollections about Artur Arturovich Iachevskii. Trudy VIZR
no.23:41-42 '64. (MIRA 19:2)

28

cr

Biochemical and anatomic characteristics of starch.
 I. A. Veselovskii. *Akhlopkala-Humashkupa* From. 1930.
 No. 8, 43-67. Biochem. analysis of pure starch obtained
 from various types of potatoes indicates that the ash con-
 ts. A, viscosity (v), and P are definitely related, the v
 increasing with increasing ash and P. For P content
 ranging from 0.06% to 0.124% and ash from 0.147 to
 0.361% the v ranged from 4.1 to 14.1% (for 0.36% starch
 soln. referred to water). The larger the grains of starch
 the easier it is hydrolyzed with acid. Fibers sized with
 various starches were tested for strength and those treated
 with starch from the potato were the strongest.
 B. Z. Kanich

ASD-5LA METALLURGICAL LITERATURE (CLASSIFICATION)

RECORDING UNIT

SECTION

REVISION

DATE

BY

NO.

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

BEREZOVSKIY, B.Ya. [deceased]; VESELOVSKIY, I.N.; MODESTOV, A.Y.
[deceased]; LEVKOVICH, V.D.; BEZRUKOVA, N., red.; KALECHITS, G.,
tekh. red.

[Reference book on elementary mathematics, mechanics, and
physics] Spravochnik po elementarnoi matematike, mekhanike i fi-
zike. Izd. 8. Minsk, Gos. izd-vo BSSR. Redaktsiia nauchno-tekhn.
lit-ry, 1962. 199 p. (MIRA 16:3)
(Mathematics) (Mechanics) (Physics)

ARKHIMED [Archimedes]; VESELOVSKIY, I.N. [translator]; ROZENFEL'D,
B.A. [translator]; VYGODSKIY, M.Ya., retsenzent; ZUBOV, V.P.,
retsenzent; CHERNYSHEVA, L.Yu., red.; KOLESNIKOVA, A.P.,
tekhn. red.; MURASHEVA, N.Ya., tekhn. red.

[Works] Sochineniia. Vstup. stat'ia i kommentarii I.N. Veselov-
skogo. Moskva, Gos. izd-vo fiziko-matem. lit-ry, 1962. 639 p.
(MIRA 16:1)

(Archimedes)

BOBROV, Sergey Pavlovich; VESHELOVSKIY, I.N., prof., nauchnyy red.;
MIKOYAN, E.P., otv. red.; PERTSEVA, T.V., tekhn. red.

[An Archimedian summer, or the story of a friendly group of
young mathematicians] Arkhimedovo leto ili Istorija sodruzhe-
stva iunyykh matematikov. Moskva, Detgiz. Book 2. 1962. 327 p.
(MIRA 15:11)

(Mathematics—Juvenile literature)

~~VERHOVSKII, L.N.~~

Some problems in Euler's mechanics. Trudy Inst. ist. est. i tekhn.
19:271-281 '57. (MIRA 11:2)
(Euler, Leonhard, 1707-1783) (Mechanics)

MEMORARIY, Iordan [Memorarius, J.]; SHREYDER, S.N.[translator] [deceased];
VESELOVSKIY, I.N.,red.

Given numbers. Ist.-mat. issl. no.12:559-654 '59.
(Mathematics)

(MIRA 13:11)

VESELOVSKIY, I.N.

Sources of "Derevolutionibus" by Copernicus. Ist.-astron.
issl. no. 6:29-53 '60. (MIRA 14:2)
(Copernicus, Nicolaus, 1473-1543)

VESELOVSKIY, I.N.

Aristarchus of Samos, Copernicus of the antiquity. Ist.-astron.
issl. no.7:30-70 '61. (MIRA 14:9)
(Aristarchus of Samos)


VESELOVSKIY, I.N., doktor fiziko-matematicheskikh nauk, professor.

N.E. Zhukovskii and the teaching of mechanics. [Trudy] MFTU no.50:
9-26 '56. (MLBA 9:8)

(Zhukovskii, Nikolai Egorovich 1847-1921)

"APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001859610020-9



APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001859610020-9"

VESELOVSKIY IVAN NIKOLAEVICH, 1892-

Technical mechanics; a textbook for self-education Moskva, Gos.
izd-vo tekhn.-teoretich. lit-ry, 1943. 282 p. (49-34214)

TA350.V4

VESELOVSKIY, I. N.

"Vavilonskiy's Mathematics" from Works of the Historical Inst. on Natural Sciences
and Engineering, Vol. 5, p. 241, 1955.

VESELOVSKIY, I.N., doktor fiziko-matematicheskikh nauk, professor.

Determination of falling body deviation caused by the earth's rotation and the theory of Foucault's pendulum. [Trudy] MVTU no.50: 120-123 '56. (MLBA 9:8)

(Earth--Rotation)

VESELOVSKIY, I. N.

"A Simple Method of Determining the Deviation of Falling Bodies, Resulting From the Rotation of the Earth, and the Foucault Pendulum," by I. N. Veselovskiy, Doctor of Physical-Mathematical Sciences, Mekhanika, Moscow Higher Technical School, No 50, Oborongiz, Moscow, 1956, pp 120-123

For the approximate calculation of the Coriolis force of inertia, it is assumed that the relative velocity of a falling body is vertical. The author studies the case of vertical fall at the equator. The general case of a fall at latitude ϕ can be reduced to a fall at the equator by replacing the angular velocity ω of the rotation of the earth with $\omega \cos \phi$. The resulting equations concur with the first approximation obtained by the usual method of resolving along degrees ω .

The elementary theory of the Foucault pendulum is similarly investigated.

Sum 1258

VESELOVSKIY, I. N.

"Babylonian Mathematics." Sub 25 Jun 47, Moscow Order of Lenin State
U imeni M. V. Lomonosov

Dissertations presented for degrees in science and engineering in
Moscow in 1947

80: Sum No. 457, 18 Apr 55

VESELOVSKIY, I.N.

**VESELOVSKIY, Ivan Nikolayevich; ZHARKOV, D.V., redaktor; AKHLAMOV, S.N.,
tekhnicheskii redaktor**

[Collection of problems in theoretical mechanics] Sbornik zadach
po teoreticheskoi mekhanike. Pri red.uchastii D.V.Zharkova.
Moskva, Gos.izd-vo tekhniko-teoret.lit-ry, 1955. 500 p.
(Mechanics--Problems, exercises, etc) (MIRA 9:1)

VESELOVSKIY, I. N. Dr. Physicomath. Sci.

Dissertation: " Babylonian Mathematics. " Moscow Order of Lenin State U. imeni
M. V. Lomonosov. 25 Jun. 1947.

SO: Vechernaya Moskva, Jun. 1947(Project # 17836)

VESILOVSKIY, Ivan Nikolayevich

[Christiaan Huygens] Khristian Ghuigens. Moskva, uchebno-
pedagog.izd-vo, 1959. 109 p. (MIRA 14:3)
(Huygens, Christiaan, 1629-1695)

VESELOVSKIY, I.N.

"The land of Stevin and Huygens" [in Dutch] by D.J.Struik. Reviewed by I.N.Veselovskii. Vop.ist.est.1 tskh. no.8:168-171 '59. (MIRA 13:5)

(Netherlands--Science)
(Struik, D.J.)